

LABORATORY REPORT

Prepared For: GPL Laboratories
7210-A Corporate Court
Frederick, MD 21703
Attention: Tim Mikesell

Project: Omega Chemical OU-2 SSID-BC
Omega Chemical

Sampled: 02/22/07
Received: 02/22/07
Issued: 03/04/07 13:44

NELAP #01108CA California ELAP#1197 CSDLAC #10256

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.

This entire report was reviewed and approved for release.

SAMPLE CROSS REFERENCE

LABORATORY ID

IQB2427-01

CLIENT ID

OC2-HPW8A-W-0-365

MATRIX

Water

Reviewed By:



TestAmerica - Irvine, CA
Diane Suzuki
Project Manager

GPL Laboratories
7210-A Corporate Court
Frederick, MD 21703
Attention: Tim Mikesell

Project ID: Omega Chemical OU-2 SSID-BC
Omega Chemical
Report Number: IQB2427

Sampled: 02/22/07
Received: 02/22/07

INORGANICS

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IQB2427-01 (OC2-HPW8A-W-0-365 - Water)								
Reporting Units: mg/l								
Chromium VI	EPA 218.6	7B22111	0.00030	ND	1	2/22/2007	2/22/2007	

TestAmerica - Irvine, CA
Diane Suzuki
Project Manager

*The results pertain only to the samples tested in the laboratory. This report shall not be reproduced,
except in full, without written permission from TestAmerica.*

IQB2427 <Page 2 of 6>

GPL Laboratories
7210-A Corporate Court
Frederick, MD 21703
Attention: Tim Mikesell

Project ID: Omega Chemical OU-2 SSID-BC
Omega Chemical
Report Number: IQB2427

Sampled: 02/22/07
Received: 02/22/07

SHORT HOLD TIME DETAIL REPORT

	Hold Time (in days)	Date/Time Sampled	Date/Time Received	Date/Time Extracted	Date/Time Analyzed
Sample ID: OC2-HPW8A-W-0-365 (IQB2427-01) - Water					
EPA 218.6	1	02/22/2007 09:23	02/22/2007 16:55	02/22/2007 20:30	02/22/2007 22:10

TestAmerica - Irvine, CA
Diane Suzuki
Project Manager

GPL Laboratories
7210-A Corporate Court
Frederick, MD 21703
Attention: Tim Mikesell

Project ID: Omega Chemical OU-2 SSID-BC
Omega Chemical
Report Number: IQB2427

Sampled: 02/22/07
Received: 02/22/07

METHOD BLANK/QC DATA

INORGANICS

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: 7B22111 Extracted: 02/22/07										
Blank Analyzed: 02/22/2007 (7B22111-BLK1)										
Chromium VI	ND	0.00030	mg/l							
LCS Analyzed: 02/22/2007 (7B22111-BS1)										
Chromium VI	0.0476	0.00030	mg/l	0.0500		95	90-110			
Matrix Spike Analyzed: 02/22/2007 (7B22111-MS1)										
Chromium VI	3.13	0.015	mg/l	2.50	0.77	94	90-110			
Matrix Spike Analyzed: 02/22/2007 (7B22111-MS2)										
Chromium VI	0.0550	0.00030	mg/l	0.0500	ND	110	90-110			
Matrix Spike Dup Analyzed: 02/22/2007 (7B22111-MSD1)										
Chromium VI	3.11	0.015	mg/l	2.50	0.77	94	90-110	1	10	
Matrix Spike Dup Analyzed: 02/22/2007 (7B22111-MSD2)										
Chromium VI	0.0523	0.00030	mg/l	0.0500	ND	105	90-110	5	10	

TestAmerica - Irvine, CA
Diane Suzuki
Project Manager

GPL Laboratories
7210-A Corporate Court
Frederick, MD 21703
Attention: Tim Mikesell

Project ID: Omega Chemical OU-2 SSID-BC
Omega Chemical
Report Number: IQB2427

Sampled: 02/22/07
Received: 02/22/07

DATA QUALIFIERS AND DEFINITIONS

ND Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
RPD Relative Percent Difference

TestAmerica - Irvine, CA
Diane Suzuki
Project Manager

*The results pertain only to the samples tested in the laboratory. This report shall not be reproduced,
except in full, without written permission from TestAmerica.*

IQB2427 <Page 5 of 6>

GPL Laboratories
7210-A Corporate Court
Frederick, MD 21703
Attention: Tim Mikesell

Project ID: Omega Chemical OU-2 SSID-BC
Omega Chemical
Report Number: IQB2427

Sampled: 02/22/07
Received: 02/22/07

Certification Summary

TestAmerica - Irvine, CA

Method	Matrix	Nelac	California
EPA 218.6	Water	X	X

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

TestAmerica - Irvine, CA
Diane Suzuki
Project Manager

